




LaHabra



MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

EXTERIOR FAST PATCH

PAREXLAHABRA, INC.
 4125 E. LaPalma Ave Suite 250 Anaheim, CA 92807
 714-778-2266
 Effective date: October 1, 2006

877-547-8822

II. HAZARDOUS INGREDIENTS

Chemical Names	CAS Numbers	ACGIH TLV	OSHA PEL	Other
Dolomitic Hydrated Lime (Calcium Hydroxide) (Magnesium Hydroxide)	1305620 1309428	5 mg/m ³	5 mg/m ³	
Hydraulic Portland Cement	65997-15-1	10 mg total dust/m ³	5 mg/m ³	
Silicon Dioxide	14808607	0.05 mg/m ³	(10 mg/ m ³) / (% SiO ₂ + 2)	

III. PHYSICAL PROPERTIES

Vapor density (air = 1): N/A
 Melting point or range, °F: N/A
 Specific gravity: Not Known
 Boiling point or range, °F: N/A
 Solubility in water: Slight
 Evaporation rate (butyl acetate = 1): N/A
 Vapor pressure, mmHg at 20 °C: N/A
 Appearance and odor: Any color powder and sand mixture, earthy odor.

IV. FIRE AND EXPLOSION

Flash Point, °F (give method): N/A
 Auto ignition temperature, °F: N/A
 Flammable limits in air volume %: N/A lower (LEL): N/A upper (UEL): N/A
 Fire extinguishing materials: Nonflammable.
 Special fire fighting procedures: Dolomitic Hydrated Lime dehydrates to magnesium oxide (662°F) and calcium oxide (1079°F) and steam. If upper temperatures prevail, wear NIOSH approved self-contained breathing apparatus. Protect eyes from dust.
 Unusual fire and explosion: None known.
 SYMPTOMS OF OVEREXPOSURE
 Inhaled: Inhalation of dust may cause coughing, sneezing, or inflammation of the respiratory passages.
 Contact with skin or eyes: In presence of moisture, contact with skin and eyes will cause irritation and possible severe corrosion damage.
 Absorbed through skin: N/A
 Ingestion: Irritation and possible severe corrosion damage to mouth, throat, and stomach.
 HEALTH EFFECTS OR RISKS FROM EXPOSURE.
 Acute: Short term exposure and irritation are generally without permanent effects. Untreated contact and irritation can cause dermatitis and chemical burns.

Chronic: Exposure to crystalline silica dust may cause scarring of the lungs with cough and shortness of breath. This is called "Silicosis".

FIRST AID: EMERGENCY PROCEDURES

Eye Contact: Wash eyes immediately with running water for 15 minutes, including under eyelids. Get prompt medical attention!

Skin Contact: Wash exposure area with large amounts of water. Remove and wash contaminated clothing.

Inhaled: Remove from exposure to dust and get prompt medical help.

Ingestion: Dilute with large amounts of water or milk and get prompt medical help.

SUSPECTED CANCER AGENT

None listed.

California employers using Cal/OSHA - regulated carcinogens must register with Cal/OSHA. The Cal/OSHA and Federal OSHA carcinogen lists are similar.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None known other than the above listed.

VI. REACTIVITY DATA

Stability: This product is stable under normal storage conditions.

Conditions to avoid: Handling procedures which may generate dust. Contact with nitroparafin maleit anhydride or phosphorus.

Incompatibility: Hydrated lime is incompatible with acids, ammonium salts, and some organic compounds.

Hazardous decomposition products: Dolomitic hydrated lime dehydrates to magnesium oxide (662°F) and calcium oxide (1079°F) and steam.

Hazardous polymerization: Will not occur.

Conditions to avoid: None known.

VII. SPILL, LEAK, AND DISPOSAL PROCEDURES

Spill responses procedures: Normal clean-up using precautions of Section VIII. Avoid creating dust.

Preparing wastes for disposal: May be salvaged for use or removed to a landfill dump in accordance with regulations.

NOTE: Dispose of all waste in accordance with federal, state, and local regulations.

VIII. SPECIAL PROTECTION INFORMATION

Ventilation and engineering controls: Provide general ventilation and local exhaust ventilation with appropriate dust collection to meet TLV and PEL requirements for lime dust and breathable free silica dust.

Respiratory protection (type): NIOSH approved dust filter respirator in dusty conditions.

Eye protection (type): Approved tight-fitting safety goggles.

Gloves (specify material): Clean, dry, rubber gloves.

Other clothing and equipment: Clean, body-covering protective clothing, such as long-sleeve shirt with buttoned collar and long pants extending over the tops of work shoes.

Work practices, hygienic practices: Keep work area clean to avoid creating excessive dust.

Other handling and storage requirements: Keep dry and avoid dusting.

Protective measures during maintenance of contaminated equipment: None other than listed above.

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. ParexLahabra, Inc. assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.