# PAREXUSA

Revision Date: 05/15/15

#### Identification of the substance/preparation and of the company/undertaking 1

**Product details** Product category: Trade name: Application/preparation of the substance: Manufacturer/Supplier:

FAÇADE LAHABRA EIFS SHEATHING ADHESIVE **EIFS** Coating PAREXUSA, Inc. 4125 E. LA PALMA AVE SUITE 250 ANAHEIM, CA 92807 pedro.paredes@parexusa.com 800-226-2424 800-424-9300

Further information obtainable from: Contact phone number: In case of emergency, contact CHEMTREC:


#### 2 Hazards identification

Hazard pictograms (GHS-US):	Irritant	
Hazard pictograms (GHS-US):	Health Hazards	
Signal word (GHS-US):	Warning	•
Hazard statement (GHS-US):	H303	Can be harmful if swallowed
	H320	Causes eye irritation
	H335	May cause respiratory irritation
	H313	May be harmful in contact with skin
Precautionary statements (GHS-US):	P402	Store in a dry place.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352	IF ON SKIN: Wash with plenty of soap and water
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

#### HMIS codes:

Health

Flammability Reactivity



Information concerning particular hazards for human and environment:

May be harmful if ingested.

Protective equipment

Dust may be irritating to eyes, respiratory system, and skin.

Not known to cause reproductive harm or birth defects.

Keep out of reach of children.

Lahabra Eifs Sheathing Adhesive

3 Composition/information on ingredients

Chemical characterization

Dangerous components:					
CAS # Name Exposure Limit					
1317-65-3	Calcium carbonate	OSHA TWA (Respirable dust) 5 mg/m <sup>3</sup>			
1317-03-3	Calcium carbonate	OSHA TWA (total)	15 mg/m <sup>3</sup>		
51200-87-4	4,4 Dimethyloxazolidine	none established			

First aid measures	
General information:	n/a
After inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If having difficulty breathing, give oxygen. Get immediate medical attention.
After skin contact:	Wash affected area thoroughly with soap and water. Remove contaminated clothes and launder before re-use.
After eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
After swallowing:	Do not induce vomiting. Get medical attention immediately.
	Do not induce vomiting. Get medical attention immediately.
After swallowing: Fire-fighting measures General information:	Do not induce vomiting. Get medical attention immediately. Water- based product.
Fire-fighting measures	
Fire-fighting measures General information:	Water- based product.
Fire-fighting measures General information: Flash point:	Water- based product. n/a

6	Accidental release measures	
	Measures for environmental protection:	Keep spilled products out of sewers, streams, and water systems.
	Measures for cleaning/collecting:	For dry material, collect by sweeping and scooping. Transfer collected material to a container, being careful to minimize creation of dust. For wet material, scoop material up and transfer to an open container. Allow material to dry before disposal.
	Additional information:	See section 13 and section 15 for specific regulatory information concerning this product.

Respiratory equipment should be worn to avoid inhalation of combustion products. Water should not be used except as fog to keep nearby containers cool. Water may be used to cool closed containers to prevent pressure build-up and exposed to extreme heat.

# 7 Handling and storage

Firefighting instructions:

Handling:

6

Wear appropriate protective equipment when working with this product. Promptly remove dusty clothing, or clothing wet with product mix, and launder before re-using. Wash thoroughly after exposure to product dust, or wet product mixtures. Keep out of reach of children.

## Storage:

Store in a dry location. Atmospheric temperatures and pressures do not affect the shelf life of this product.

## 8 Exposure controls/personal protection

Additional information about design of technical facilities: n/a

Ingredients with limit values that require monitoring at the workplace:					
CAS # Name Exposure Limit					
1217 65 2	1317-65-3 Calcium carbonate				
1317-03-3	Calcium carbonate	OSHA TWA (total)	15 mg/m <sup>3</sup>		
51200-87-4 4,4 Dimethyloxazolidine none established					

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find how low to protect yourself and your family by contacting the National Lead Hotline at 1800-424-LEAD or log onto www.epa.gov/lead

Additional information:	The lists valid during the making were used as a basis.
Personal protective equipment: ventilation	Use local exhaust. General exhaust acceptable if the exposure to materials above is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, and 1910.108.
respiratory protection	If personal exposure cannot or may not be controlled below applicable limits by ventilation, wear properly fitted respirator approved by NIOSH/MSHA for protection against materials described above.
eye protection skin protection	Wear safety glasses to reduce the potential for eye contact. Prevent prolonged or repeated contact by using rubber gloves and appropriate protective clothing.

## 9 Physical and chemical properties

General information:	
form	Fluid
color	off white
odor	Mild ammonia
рН	8.0-10.0
Change in condition:	
melting point/melting point range	32'F
boiling point/boiling point range	190-212'F
evaporation rate:	Slower than ether
vapor density:	Heavier than air
Specific gravity:	1.52
Solubility in/Miscibility with water:	dispersible
Density at 20°C:	12. 66 lb/gal
VOC:	12 g/L (0.1035 lb/gal)

# 10 Stability and reactivity

None known
Stable
None known
Will not occur

Dangerous decomposition products:

Will not spontaneously occur. By Fire- low molecular weight hydrocarbons, carbon dioxide and monoxide.

11	Toxicological information	
	Acute toxicity:	
	crystalline silica (quartz, christobalite)	Considered a known human carcinogen by Federal (OSHA) and advising health agencies (IARC, NIOSH, and NTP). Additionally, crystalline silica can cause a lung condition known as silicosis after long term exposure to dusts containing crystalline silica. Exposure of workers to crystalline silica containing dusts is specifically regulated by OSHA. The use of a correctly fitted, NIOSH approved respirator suitable for use against crystalline silica inhalation is essential for minimizing exposure to this danger.
	mineral dusts	Some items mentioned in Section 8 are considered mineral dusts by OSHA and a correctly fitted, NIOSH approved respirator is required when working with this product.
	Primary irritant effect:	
	on the skin	Exposure of skin to wet product mix may cause chemical burns. Symptoms of exposure may take several hours to manifest.
	on the eye	Exposure of eyes to wet product mix may cause chemical burns and blindness. Exposure to airborne dust can cause immediate or delayed irritation or inflammation.
	through ingestion	May be harmful if ingested.
	through inhalation	Dust generated during handling this product concentrate may cause irritation to the respiratory tract.
	Additional toxicological information:	n/a

12	Ecological information			
	Elimination (persistence and degradability):	n/a		
	Behavior in environmental systems:	n/a		
	Mobility and bioaccumulation potential:	n/a		
	General notes:	n/a		

13 Disposal considerations			
Product recommendation:	This product must be disposed of in accordance with applicable local, state and federal regulations. Where possible, it is best to use up any excess material.		
Uncleansed packaging recommendation:	Disposal must be made according to official regulations.		
14 Transport information			
Land transport USDOT	Not classified as a dangerous good under transport regulations		
Sea transport IMDG	Not classified as a dangerous good under transport regulations		
Air transport IATA/ICAO	Not classified as a dangerous good under transport regulations		

US Federal regulations						
CERCLA, section 103 (40CRF302.4)						
-		uire notification of the National Resp	onse Center of releases of			
quantities of hazardous substances equal to or greater than the Reportable Quantities (RQ):						
	No reportable qu	uantities are present.				
Clean Air Act, section 112						
	lowing components present at	or above the minimum level and liste	ed as Hazardous or Extremely			
Hazardous Air Pollutants:						
	No reportable qu	uantities are present.				
SARA, section 302 (40CFR355.30) and	section 304 (40CFR355.40)					
This product contains the fol	lowing items that require emer	gency planning based on Threshold F	Planning Quantities (TPQ) or release			
reporting based on RQ:						
	No reportable qu	uantities are present.				
SARA, section 311/312 (40CFR370.21)	Hazard classification for this p	roduct				
	Fire: No	Pressure generating: No	Reactivity: No			
	Acute health: No	Chronic health: No				
SARA, section 313 (40CFR372.65)						
This product contains the fol	lowing substances subject to th	e reporting requirements of Section	313 of Title III of the Superfund			
Amendment and Reauthorize	ation Act of 1986:					
	4,4 Dimethyloxazolidine	CAS # 51200-87-4				
EPA VOC regulations						
	Theoretical VOC for this p	roduct = 12 g/L (0.1035 lb/gal)				
TSCA						
All components of this produ	Ict are listed, or are exempt fro	m listing on the TSCA inventory.				
OSHA	· · · ·	· ·				
This Safety Data Sheet is pre	pared to comply with the Unite	d States Occupational Safety and Hea	alth Administration (OSHA) Hazard			
Communication Standard (29	FR1910.1200). Unlisted ingre	edients are not 'hazardous' per OSHA	standards.			
In addition to items listed in	Section 11, this product contair	ns the following items that are specifi	cally regulated by OSHA. Exposure			
limits may be found in Section	•	<b>.</b> .	, , , , ,			
	No reportable qu	uantities are present.				
State regulations						
California						
Warning - The following cher	nicals are present in this coatin	g product in small amounts. These ch	nemicals are listed by the California			
<b>o o</b>	•	ancer, (and/or) birth defects, (and/or	•			
	Calcium carbonate	CAS # 1317-65-3				

## 16 Other information

The information and recommendation set forth herein are believed to be accurate. Because some of the information used to prepare this document is derived from information provided to PAREXUSA, Inc. from its suppliers, and because PAREXUSA, Inc. has no control over the conditions of handling and use, PAREXUSA, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof and assumes no responsibility from use or reliance thereon. It is the responsibility of the user of PAREXUSA, Inc. products to comply with all applicable federal, state, and local laws and regulations.